Electroencephalography and clinical Neurophysiology, 1989, 74: 487–490
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF AUTHORS

VOLUME 74 (EP), 1989

(The numbers followed by P refer to abstracts from Society Proceedings)

Achim, A., see Richer, F., 202
Adamson, J., Zappulla, R.A., Fraser, A., Ryder, J. and Malis, L.I., Effects of selective spinal cord lesions on the spinal motor evoked potential (MEP) in the rat, 469
Addy, R.O., Dinner, D.S., Lüders, H., Lesser, R.P., Morris, H.H. and Wyllie, E., The effects of sleep on median nerve short latency somatosensory evoked potentials, 105
Alain, C., see Richer, F., 202
Amassian, V.E., see Cracco, R.Q., 417
Amassian, V.E., Cracco, R.Q. and Maccabee, P.J., Focal stimulation of human cerebral cortex with the magnetic coil: a comparison with electrical stimulation, 401
Amassian, V.E., Cracco, R.Q., Maccabee, P.J., Cracco, J.B., Rudell, A. and Eberle, L., Suppression of visual perception by magnetic coil stimulation of human occipital cortex, 458
Attias, J., see Sohmer, H., 50

Babiloni, F., see Rossini, P.M., 277
Balogh, S.E., see Fitzpatrick, D.F., 95
Banerji, N.K., see Papakostopoulos, D., 1
Bernardi, G., see Rossini, P.M., 277
Bissenden, J.G., see Harding, G.F.A., 76
Bladin, P.F., see Puce, A., 385
Blanke, L., see Dembon, H., 46
Bloch, M., see Eisen, A., 444
Bohlega, S., see Eisen, A., 444
Born, J., Schwab, R., Pietrowsky, R., Pauschinger, P. and Fehm, H.L., Glucocorticoid influences on the auditory brain-stem responses in man, 209
Bouvier, G., see Richer, F., 202
Bressler, S.L., see Gevins, A.S., 58, 147
Browne, J.K., see Seyal, M., 271
Buchwald, J.S., Erwin, R.J., Read, S., Van Lancker, D. and Cummings, J.L., Midlatency auditory evoked responses: differential abnormality of P1 in Alzheimer's disease, 378

Cahani, M., see Sohmer, H., 50
Caramia, M.D., see Opsomer, R.J., 260
Cecchi, L., see Rossini, P.M., 277
Chalklin, V., see Desmedt, J.E., 359
Chalklin, V., see Tomberg, C., 347
Chiappa, K.H., see Tan, C.B., 11
Chu, N.-S., Motor evoked potentials with magnetic stimulation: correlations with height, 481
Claus, D., see Smith, S.J.M., 438
Cohen, L.G., see Wang, J., 112
Cracco, J.B., see Amassian, V.E., 458
Cracco, J.B., see Cracco, R.Q., 417
Cracco, R.Q., see Amassian, V.E., 401, 458
Cracco, R.Q., Amassian, V.E., Maccabee, P.J. and Cracco, J.B., Comparison of human transcallosal responses evoked by magnetic coil and electrical stimulation, 417
Cummings, J.L., see Buchwald, J.S., 378
Cutillo, B.A., see Gevins, A.S., 58
Cutillo, B.A., see Gevins, A.S., 147

Dean Hart, J.C., see Papakostopoulos, D., 1
Dembon, H., Hohnsbein, J., Blanke, L. and Falkenstein, M., Improved amplitude evaluation of the frequency following response (FFR), 46
Desmedt, J.E. and Chalklin, V., New method for titrating differences in scalp topographic patterns in brain evoked potential mapping, 359
Desmedt, J.E. and Tomberg, C., Mapping early somatosensory evoked potentials in selective attention: critical evaluation of control conditions used for titrating by difference the cognitive P30, P40, P100 and N140, 321
Desmedt, J.E., see Tomberg, C., 347
Deuschl, G., Ludolph, A., Schenck, E. and Lücking, C.H., The relations between long-latency reflexes in hand muscles, somatosensory evoked potentials and transcranial stimulation of motor tracts, 425
De Vries, M., Van Dijk, B. and Spekreijse, H., Motion onset-offset VEPs in children, 81
Dinner, D.S., see Addy, R.O., 105
Dobie, R.A., see Palaskas, C.W., 399
Donnan, G.A., see Puce, A., 385
Dull, S., see Konrad, P.E., 463

Eberle, L., see Amassian, V.E., 458
Edgar, M.A., see Halonen, J.-P., 161

0168-5597/89/$03.50 © 1989 Elsevier Scientific Publishers Ireland, Ltd.

Eisen, A., Bohlega, S., Bloch, M. and Hayden, M., Silent periods, long-latency reflexes and cortical MEPs in Huntington's disease and at-risk relatives, 444
Elger, C.E., see Masur, H., 450
Erwin, R.J., see Buchwald, J.S., 378

Fahrendorf, G., see Masur, H., 450
Falkenstein, M., see Dembon, H., 46
Favale, E., see Leandri, M., 367
Fehlings, M.G., Tator, C.H. and Linden, R.D., The relationships among the severity of spinal cord injury, motor and somatosensory evoked potentials and spinal cord blood flow, 241
Fehm, H.L., see Born, J., 209
Fitzpatrick, D.F., Hendricks, S.E., Graber, B., Balogh, S.E. and Wetzel, M., Somatosensory evoked potentials elicited by dorsal penile and posterior tibial nerve stimulation, 95
Fotiou, F., see Papakostopoulos, D., 1
Fraser, A., see Adamson, J., 469
Fukui, M., see Morioka, T., 186

Geddes, L.A., see Konrad, P.E., 463
Gevins, A.S., Bressler, S.L., Morgan, N.H., Cutillo, B.A., White, R.M., Greer, D.S. and Illes, J., Event-related covariances during a bimanual visuomotor task. I. Methods and analysis of stimulus- and response-locked data, 58
Gevins, A.S., Cutillo, B.A., Bressler, S.L., Morgan, N.H., White, R.M., Illes, J. and Greer, D.S., Event-related covariances during a bimanual visuomotor task. II. Preparation and feedback, 147
Gold, S., see Sohmer, H., 50
Gott, P.S. and Hughes, E.C., Effect of noise masking on the brain-stem and middle-latency auditory evoked potentials: central and peripheral components, 131
Graber, B., see Fitzpatrick, D.F., 95
Greer, D.S., see Gevins, A.S., 58, 147
Grose, J., see Harding, G.F.A., 76

Hallett, M., see Wang, J., 112
Hallström, Y.T., Lindblom, U., Meyerson, B.A. and Prevec, T.S., Epidurally recorded cervical spinal activity evoked by electrical and mechanical stimulation in pain patients, 175
Halonen, J.-P., see Jones, S.J., 36
Halonen, J.-P., Jones, S.J., Edgar, M.A. and Ransford, A.O., Conduction properties of epidurally recorded spinal cord potentials following lower limb stimulation in man, 161
Hämäläinen, M., see Loveless, N., 217
Hämäläinen, M., see Tiihonen, J., 290
Harding, G.F.A., Grose, J., Wilton, A. and Bissenden, J.G., The pattern reversal VEP in short-gestation infants, 76
Hari, R., see Loveless, N., 217
Hari, R., see Tiihonen, J., 290
Hayden, M., see Eisen, A., 444
Hendricks, S.E., see Fitzpatrick, D.F., 95
Hess, C.W., see Schriefer, T.N., 431
Hess, C.W., see Smith, S.J.M., 438
Hohnsbein, J., see Dembon, H., 46
Hughes, E.C., see Gott, P.S., 131

Ikeda, A., see Kakigi, R., 139
Illes, J., see Gevins, A.S., 58, 147

Jacobson, G.P. and Newman, C.W., Absence of rate-dependent BAEP P_5 latency changes in patients with definite multiple sclerosis: possible physiological mechanisms, 19
Jeanmonod, D., Sindou, M. and Mauguière, F., Three transverse dipolar generators in the human cervical and lumbosacral dorsal horn: evidence from direct intraoperative recordings on the spinal cord surface, 236
Johnson, P.B., see Rossini, P.M., 277
Jones, S.J., see Halonen, J.-P., 161
Jones, S.J., Halonen, J.-P. and Shawkat, F., Centrifugal and centripetal mechanisms involved in the 'gating' of cortical SEPs during movement, 36

Kakigi, R., Short-latency somatosensory evoked potentials following median nerve stimulation in Down's syndrome, 88
Kakigi, R., Shibasaki, H. and Ikeda, A., Pain-related somatosensory evoked potentials following CO_2 laser stimulation in man, 139
Kato, M., see Morioka, T., 186
King, P.J.L., see Tan, C.B., 11
Konrad, P.E., Geddes, L.A., Tacker, Jr., W.A., Reuter, D., Schooler, D. and Dull, S., Existence of a strength-duration curve for spinal cord motor evoked potentials in cats, 463

Leandri, M., Parodi, C.I. and Favale, E., Early scalp responses evoked by stimulation of the supraorbital nerve in man, 367
Lesser, R.P., see Addy, R.O., 105
Lindblom, U., see Hallström, Y.T., 175
Linden, R.D., see Fehlings, M.G., 241
Loveless, N., Hari, R., Hämäläinen, M. and Tiihonen, J., Evoked responses of human auditory cortex may be enhanced by preceding stimuli, 217
Lücking, C.H., see Deuschl, G., 425
Lüders, H., see Addy, R.O., 105
Ludolph, A., see Deuschl, G., 425
Ludolph, A.C., see Masur, H., 450

Maccabee, P.J., see Amassian, V.E., 401, 450
Maccabee, P.J., see Cracco, R.Q., 417
Malentacca, A., see Rossini, P.M., 277
Malis, L.I., see Adamson, J., 469
Masur, H., Elger, C.E., Render, K., Fahrendorf, G. and Ludolph, A.C., Functional deficits of central sensory and motor pathways in patients with cervical spinal stenosis: a study of SEPs and EMG responses to non-invasive brain stimulation, 450
Mauguière, F., see Jeanmonod, D., 236
McPherson, D.L., Tures, C. and Starr, A., Binaural interaction of the auditory brain-stem potentials and middle latency auditory evoked potentials in infants and adults, 124
Meyerson, B.A., see Hallström, Y.T., 175
Mills, K.R., see Schriefer, T.N., 431
Mills, K.R., see Smith, S.J.M., 438
Morgan, N.H., see Gevins, A.S., 58, 147

Morioka, T., Shima, F., Kato, M. and Fukui, M., Origin and distribution of thalamic somatosensory evoked potentials in humans, 186
Morris, H.H., see Addy, R.O., 105
Murray, N.M.F., see Schriefer, T.N., 431
Murray, N.M.F., see Smith, S.J.M., 438

Nardone, A. and Schieppati, M., Influences of transcutaneous electrical stimulation of cutaneous and mixed nerves on subcortical and cortical somatosensory evoked potentials, 24
Neer, C.M., see Thomas, D.G., 228
Newman, C.W., see Jacobson, G.P., 19
Nguyen, T.H., see Tomberg, C., 347

Opsomer, R.J., Caramia, M.D., Zarola, F., Pesce, F. and Rossini, P.M., Neurophysiological evaluation of central-peripheral sensory and motor pudendal fibres, 260
Ozaki, I., see Tomberg, C., 347

Palaskas, C.W., Dobie, R.A. and Wilson, M.J., Cross-correlation of the frequency-following response, 399
Papakostopoulos, D., Fotiou, F., Dean Hart, J.C. and Banerji, N.K., The electroretinogram in multiple sclerosis and demyelinating optic neuritis, 1
Parodi, C.I., see Leandri, M., 367
Pauschinger, P., see Born, J., 209
Pesce, F., see Opsomer, R.J., 260
Pietrowsky, R., see Born, J., 209
Polich, J., P300 from a passive auditory paradigm, 312
Prevec, T.S., see Hallström, Y.T., 175
Price, J.M., see Thomas, D.G., 228
Puce, A., Donnan, G.A. and Bladin, P.F., Comparative effects of age on limbic and scalp P3, 385

Ransford, A.O., see Halonen, J.-P., 161
Read, S., see Buchwald, J.S., 378
Render, K., see Masur, H., 450
Reuter, D., see Konrad, P.E., 463
Richer, F., Alain, C., Achim, A., Bouvier, G. and Saint-Hilaire, J.-M., Intracerebral amplitude distributions of the auditory evoked potential, 202
Rossini, P.M., Babiloni, F., Bernardi, G., Cecchi, L., Johnson, P.B., Malentacca, A., Stanzione, P. and Urbano, A., Abnormalities of short-latency somatosensory evoked potentials in parkinsonian patients, 277
Rossini, P.M., see Opsomer, R.J., 260
Rothenberger, V.L., see Walsleben, J.A., 297
Rudell, A., see Amassian, V.E., 458
Ryder, J., see Adamson, J., 469

Saint-Hilaire, J.-M., see Richer, F., 202
Schenck, E., see Deuschl, G., 425
Schieppati, M., see Nardone, A., 24
Schmid, C., see Zihl, J., 394
Schneider, W., see Watanabe, E., 194
Schooler, D., see Konrad, P.E., 463
Schramm, J., see Watanabe, E., 194
Schriefer, T.N., Hess, C.W., Mills, K.R. and Murray, N.M.F., Central motor conduction studies in motor neurone disease using magnetic brain stimulation, 431
Schriefer, T., see Smith, S.J.M., 438
Schwab, R., see Born, J., 209
Seyal, M. and Browne, J.K., Short latency somatosensory evoked potentials following mechanical taps to the face. Scalp recordings with a non-cephalic reference, 271
Shawkat, F., see Jones, S.J., 36
Shibasaki, H., see Kakigi, R., 139
Shima, F., see Morioka, T., 186
Sindou, M., see Jeanmonod, D., 236
Smith, S.J.M., Claus, D., Hess, C.W., Mills, K.R., Murray, N.M.F. and Schriefer, T., F responses and central motor conduction in multiple sclerosis, 438
Sohmer, H., Gold, S., Cahani, M. and Attias, J., Effects of hypothermia on auditory brain-stem and somatosensory evoked responses. A model of a synaptic and axonal lesion, 50
Spekreijse, H., see De Vries, M., 81
Squires, N.K., see Walsleben, J.A., 297
Stanzione, P., see Rossini, P.M., 277
Starr, A., see McPherson, D.L., 124

Tacker, Jr., W.A., see Konrad, P.E., 463
Tan, C.B., King, P.J.L. and Chiappa, K.H., Pattern ERG: effects of reference electrode site, stimulus mode and check size, 11
Tator, C.H., see Fehlings, M.G., 241
Thomas, D.G., Neer, C.M. and Price, J.M., Analyses of single-trial N1 amplitude and latency variability and their influence on the average evoked potential, 228
Tiihonen, J., Hari, R. and Hämäläinen, M., Early deflections of cerebral magnetic responses to median nerve stimulation, 290
Tiihonen, J., see Loveless, N., 217
Tomberg, C., see Desmedt, J.E., 321
Tomberg, C., Desmedt, J.E., Ozaki, I., Nguyen, T.H. and Chalklin, V., Mapping somatosensory evoked potentials to finger stimulation at intervals of 450 to 4000 msec and the issue of habituation when assessing early cognitive components, 347
Tures, C., see McPherson, D.L., 124

Urbano, A., see Rossini, P.M., 277

Van Dijk, B., see De Vries, M., 81
Van Lancker, D., see Buchwald, J.S., 378

Walsleben, J.A., Squires, N.K. and Rothenberger, V.L., Auditory event-related potentials and brain dysfunction in sleep apnea, 297
Wang, J., Cohen, L.G. and Hallett, M., Scalp topography of somatosensory evoked potentials following electrical stimulation of femoral nerve, 112

Watanabe, E., Schramm, J. and Schneider, W., Effect of a subdural air collection on the sensory evoked potential during surgery in the sitting position, 194
Wetzel, M., see Fitzpatrick, D.F., 95
White, R.M., see Gevins, A.S., 58, 147
Wilson, M.J., see Palaskas, C.W., 399
Wilton, A., see Harding, G.F.A., 76
Wyllie, E., see Addy, R.O., 105

Zappulla, R.A., see Adamson, J., 469
Zarola, F., see Opsomer, R.J., 260
Zihl, J. and Schmid, C., Use of visually evoked responses in evaluation of visual blurring in brain-damaged patients, 394

Electroencephalography and clinical Neurophysiology, 1989, 74: 491–495
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF SUBJECTS

VOLUME 74 (EP), 1989

(Abstracts from Society Proceedings are not included)

Age
- effects on limbic and scalp P3, 385
Alzheimer's disease
- P1 abnormality of AEPs, 378
Amplitude analysis
- of the frequency-following response, 46
Apnea syndrome
- auditory ERPs in sleep apnea, 297
Attention
- mapping early SEPs in selective attention, 321
Auditory brain-stem potentials
- absent P5 rate changes in multiple sclerosis, 19
- binaural interaction in term infants and adults, 124
- effects of noise masking, 131
- human BAEPs under hydrocortisone, 209
- hypothermia effects, 50
Auditory evoked potentials
- amplitude analysis of the frequency-following response, 46
- binaural interaction in term infants and adults, 124
- cross-correlation of the frequency-following response, 399
- effect of age on limbic and scalp P3, 385
- effect of noise masking, 131
- effect of subdural air collection, 194
- ERPs in sleep apnea, 297
- facilitation of auditory evoked magnetic fields, 217
- intracerebral amplitude distributions, 202
- P1 abnormality in Alzheimer's disease, 378
- P300 from a passive auditory paradigm, 312
- single-trial EP amplitude and latency variability, 228
Average reference
- comparison of scalp topographic patterns, 359
Axonal function
- hypothermia effect on BAEPs and SEPs, 50
- SCBF and axonal function after cord injury, 241

BAEPs, *see* Auditory brain-stem potentials
Binaural interaction
- in term infants and adults, 124
Blood flow
- SCBF and axonal function after cord injury, 241
Book reviews, 486
Brain-stem
- P1 abnormality of AEPs in Alzheimer's disease, 378
Brain-stem potentials, *see* Auditory brain-stem potentials

Cervical cord
- cervical spinal SEPs in pain patients, 175
- functional deficit in cervical spinal stenosis, 450
- 3 transverse dipolar generators in human dorsal cord, 236
Cholinergic system
- P1 abnormality of AEPs in Alzheimer's disease, 378
Cognition
- interstimulus intervals and habituation of SEP, 347
- mapping early SEPs in selective attention, 321
Conduction
- central motor conduction and magnetic stimulation, 431
- central motor conduction and excitability in MS, 438
- conduction of spinal cord potentials in man, 161
- functional deficit in cervical spinal stenosis, 450
- peripheral and central pudendal nerve conduction, 260
- transcranial stimulation of the motor tracts, 425
Contingent negative variation
- event-related covariances: preparation and feedback, 147
Corpus callosum
- electrical and magnetic cortical stimulation, 417
Cortisol
- human BAEPs under hydrocortisone, 209
Cutaneous interference effect
- cortical SEP 'gating' during movement, 36

Daytime sleepiness
- auditory ERPs in sleep apnea, 297
Demyelination
- intracerebral amplitude distributions of AEPs, 202
- origin and distribution of thalamic SEPs, 186
Depth electrodes
- effects of age on limbic and scalp P3, 385
- origin and distribution of thalamic SEPs, 186
Development
- motion onset-offset VEPs in children, 81
- pattern reversal VEP in premature babies, 76
Diagnosis
- SCBF and axonal function after cord injury, 241
Down's syndrome
- median nerve stimulation and SEPs, 88

0168-5597/89/$03.50 © 1989 Elsevier Scientific Publishers Ireland, Ltd.

Pudendal nerve
- peripheral and central conduction, 260
P300
- event-related covariances, 58, 147
- from a passive auditory paradigm, 312
- preparation and feedback, 147
- stimulus and response, 58

Quantitative comparison
- of scalp topographic patterns, 359

Rate effect
- absent P5 rate changes in multiple sclerosis, 19
- human BAEPs under hydrocortisone, 209
Recovery cycle
- facilitation of auditory evoked magnetic fields, 217
Reference
- effects of reference electrode site on pattern ERG, 11
Reflexes
- transcranial stimulation of the motor tracts, 425
Reticular formation
- P1 abnormality of AEPs in Alzheimer's disease, 378
Retina
- ERG in multiple sclerosis and optic neuritis, 1

Sacral reflex
- peripheral and central pudendal nerve conduction, 260
Selective attention and SEP mapping, 321
Sensory convergence
- cortical SEP 'gating' during movement, 36
Short latency components
- early EPs to supraorbital nerve stimulation, 367
- interstimulus intervals and habituation of SEP, 347
- mapping SEPs in selective attention, 321
- median nerve response to magnetic stimulation, 290
- median nerve stimulation and SEPs in Down's syndrome, 88
- SEP mapping and parkinsonism, 277
- sleep effect on SEPs, 105
- trigeminal SEPs, 271
Signal-to-noise ratio
- amplitude analysis of the frequency-following response, 46
Silent period
- long-latency reflexes and MEPs in Huntington's disease, 444
Single trial analysis
- EP amplitude and latency variability, 228
Sleep
- auditory ERPs in sleep apnea, 297
- effects on short-latency SEPs, 105
Somatosensory cortex
- early median nerve magnetic response, 290
Somatosensory evoked potentials
- cervical spinal SEPs in pain patients, 175
- comparison of scalp topographic patterns, 359
- conduction of spinal cord potentials in man, 161
- cortical SEP 'gating' during movement, 36
- early EPs to supraorbital nerve stimulation, 367
- effect of subdural air collection on SEP monitoring, 194
- functional deficit in cervical spinal stenosis, 450
- hypothermia effect on BAEPs and SEPs, 50
- interstimulus intervals and habituation of SEP, 347
- mapping early SEPs in selective attention, 321
- median nerve stimulation and SEPs in Down's syndrome, 88
- origin and distribution of thalamic SEPs, 186
- pain-related SEPs and CO_2 laser stimulation, 139
- peripheral and central pudendal nerve conduction, 260
- scalp SEPs elicited by femoral nerve stimulation, 112
- SCBF and axonal function after cord injury, 241
- SEPs elicited by penile and tibial nerve stimulation, 95
- short-latency SEP mapping and parkinsonism, 277
- short-latency trigeminal SEPs, 271
- sleep effect on short-latency SEPs, 105
- transcranial stimulation of the motor tracts, 425
- transcutaneous electrical nerve stimulation and SEPs, 24
- 3 transverse dipolar generators in human dorsal cord, 236
Spasticity
- 3 transverse dipolar generators in human dorsal cord, 236
Spatial
- spatial distribution, *see* Topographic mapping
Spinal cord
- cervical spinal SEPs in pain patients, 175
- clip compression of the cord, 241
- conduction of spinal cord potentials in man, 161
- effects of spinal cord lesion on rat MEPs, 469
- functional deficit in cervical spinal stenosis, 450
- SCBF and axonal function after cord injury, 241
- strength-duration curve of spinal cord MEPs, 463
- 3 transverse dipolar generators in human dorsal cord, 236
Spinocerebellar tract
- conduction of spinal cord potentials in man, 161
Supplementary motor area
- short-latency SEP mapping and parkinsonism, 277
Supraoptic nerve
- early EPs to supraorbital nerve stimulation, 367
Surgery in the sitting position
- effect of subdural air collection on SEP monitoring, 194
Synaptic lesion
- hypothermia effect on BAEPs and SEPs, 50

Thalamus
- origin and distribution of thalamic SEPs, 186
Tibial nerve
- SEPs elicited by penile and tibial nerve stimulation, 95
Time-multiplex averaging
- amplitude analysis of the frequency-following response, 46
Topographic mapping
- cervical spinal SEPs in pain patients, 175
- comparison of scalp topographic patterns, 359
- early SEPs in selective attention, 321
- event-related covariances: preparation and feedback, 147
- event-related covariances: stimulus and response, 58
- interstimulus intervals and habituation of SEP, 347
- scalp SEPs elicited by femoral nerve stimulation, 112
- short-latency SEP mapping and parkinsonism, 277

Transcutaneous electrical nerve stimulation
- effects on SEPs, 24

Trigeminal nerve
- early EPs to supraorbital nerve stimulation, 367
- short-latency trigeminal SEPs, 271

Vision
- VEPs, visual blurring and brain damage, 394
- magnetic stimulation of the human occipital cortex, 458

Visual evoked potentials
- effects of reference electrode site on pattern ERG, 11
- ERG in multiple sclerosis and optic neuritis, 1
- motion onset-offset VEPs in children, 81
- pattern reversal VEP in premature babies, 76
- visual blurring and brain damage, 394
- *see also* Pattern

Visuomotor task
- event-related covariance: preparation and feedback, 147
- event-related covariance: stimulus and response, 58

Z estimator
- comparison of scalp topographic patterns, 359